TABLE OF CONTENTS – INDUCED ABORTION

	Page
INDUCED ABORTION	93
2003 Induced abortions in Idaho and to Idaho residents (districts, counties)	94
2003 Induced abortions to Idaho residents: ratios and race/ethnicity (districts, counties	95
2003 Induced abortions to Idaho residents: age (districts, counties)	96
2003 Induced abortions in Idaho: procedure by length of gestation	97
2003 Induced abortions in Idaho: procedure by complications	97
2003 Induced abortions in Idaho: age of patient by marital status	98
2003 Induced abortions in Idaho: previous abortions, living children	98

INDUCED ABORTION


In 2001, 48 reporting areas out of 52 reporting areas, (50 States, District of Columbia, and New York City), provided data to the Centers for Disease Control and Prevention (CDC) regarding abortions in the U.S. A total of 846,447 legal abortions were reported to the CDC by 48 reporting areas in 2001. This represents a slight decrease from 2000, for which 850,293 abortions were reported from the same 48 reporting areas. The number of abortions reported from all 52 reporting areas in 1997 was 1,186,039 in the U.S. In 2001, the U.S. abortion ratio (reported abortions per 1,000 live births) was 247, an increase from 246 in comparable reporting areas in 2000.

			RATE PER
	INDUCED	RATIO PER	1,000 FEMALES
	ABORTIONS	1,000 LIVE BIRTHS	AGED 15-44
U.S. 2001 ¹	846,447	247	16
Idaho 2003 (Occurrence)	911	43	3
Idaho 2003 (Residence)	1,620	74	6

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977. The reported numbers increased from 708 during the last half of 1977 to a high of 2,706 in 1981. The number of abortions reported <u>in Idaho</u> in 2003 was 911, a 10 percent increase from the 829 reported in 2002. Abortions to <u>Idaho resident</u> increased 9 percent, from 1,493 in 2002 to 1,620 in 2003.

Of the 749 abortions obtained by Idaho residents out of state in 2003, 586 were performed in Washington, 79 in Utah, 57 in Oregon, and 25 in Montana. (Note: From 1989-2001, with the exception of 1991 and 1998, reports were not forwarded yearly from Montana for Idaho residents who obtained abortions in Montana. In 2003, Montana forwarded reports for the missing years and they were added to our databases. Those reports are included in the trend graph below and in any data published after August 2003. Prior years' abortion data based on revised data bases are available upon request.)

IDAHO INDUCED ABORTIONS Idaho Residents and Abortions in Idaho 1993-2003



¹ "Abortion Surveillance - United States, 2001," <u>Morbidity and Mortality Weekly Report,</u> Centers for Disease Control and Prevention, Vol. 53/No. SS-9, November 26, 2004.

INDUCED ABORTIONS OCCURRING IN IDAHO INDUCED ABORTIONS OCCURRING TO IDAHO RESIDENTS 2003

	ABORTIO	ONS OCCURRING	IN IDAHO	ABORTIONS OCCURRING TO IDAHO RESIDENTS				
	Abortions Done in This County, Total	Abortion Done in This County, Resident of Idaho	Abortion Done in This County, Resident of Other State	Resident of This County, Total Abortions	Resident of This County, Abortion in Idaho	Resident of This County, Abortion in Other State		
IDAHO	911	871	40	1,620	871	749		
District 1 District 2 District 3 District 4 District 5 District 6 District 7	- - 838 24 49	- - 807 23 41	- - 31 1 8	395 187 191 603 124 62 58	- 3 170 550 94 30 24	395 184 21 53 30 32 34		
Ada Adams Bannock Bear Lake Benewah Bingham Blaine Boise Bonner Bonneville	838 - 49 - - - 24 - -	807 - 41 - - - 23 -	31 - 8 - - 1 - -	571 3 40 2 11 10 51 1 57	524 3 22 - 4 46 1 -	47 - 18 2 11 6 5 - 57 19		
Boundary Butte Camas Canyon Caribou Cassia Clark Clearwater Custer Elmore	- - - - - - - -	- - - - - - - -	- - - - - - - -	10 2 - 160 3 6 - 7 4 21	- 2 - 143 - - - - 3 17	10 - - 17 3 6 - 7 1 4		
Franklin Fremont Gem Gooding Idaho Jefferson Jerome Kootenai Latah Lemhi	- - - - - - - -	- - - - - - - -	- - - - - - - -	3 2 8 7 12 2 9 295 100	- 1 8 5 2 - 7 - 1	3 1 - 2 10 2 2 295 99		
Lewis Lincoln Madison Minidoka Nez Perce Oneida Owyhee Payette Power Shoshone	- - - - - - -	- - - - - - - -	- - - - - - - -	6 1 - 10 62 1 4 12 1 22	1 4 - 1 4 10 1	6 - 6 62 - - 2 - 22		
Teton Twin Falls Valley Washington	- - -	- - -	- - -	2 40 10 4	1 31 8 2	1 9 2 2		

INDUCED ABORTIONS TO IDAHO RESIDENTS Ratios by District and County of Residence Race/Ethnicity of Patient 2003

	TOTAL AB	ORTIONS							
RESIDENCE	Number	Ratio ¹	White	Black	Native American	Asian/ Pacific Islander	Other Race	Not Stated	HISPANIC ²
IDAHO	1,620	74.3	1,448	17	31	43	7	74	137
District 1	395	174.3	349		10	5	<u> </u>	31	8
District 2	187	169.7	154	3	9	5	4	12	8
District 3	191	50.1	180	-	2	5	-	4	46
District 4	603	103.5	540	12	7	26	2	16	43
District 5	124	45.5	119	1	-	-	-	4	23
District 6	62	21.7	54	1	3	2	-	2	4
District 7	58	18.1	52	-	-	-	1	5	5
Ada	571	111.8	514	8	7	26	2	14	40
Adams	3	93.8	3	=	-	-	-	-	-
Bannock	40	27.3	37	-	1	1	-	1	1
Bear Lake	2	26.0	2	-	-	-	-	-	-
Benewah	11	94.8	7	-	2	-	-	2	-
Bingham	10	13.1	5	1	2	1	-	1	3
Blaine	51	191.7	50	-	-	-	-	1	12
Boise	1	13.5	1	=	-	-	-	-	-
Bonner	57	154.5	51 25	-	-	1	-	5	2
Bonneville	38	22.7	35	-	-	-	1	2	3
Boundary	10	74.1	10	-	-	-	-	-	-
Butte	2	48.8	2	-	-	-	-	-	-
Camas	-			-	-	-	-	-	-
Canyon	160	54.1	153	-	2	3	-	2	43
Caribou	3	26.5	3	-	-	-	-	-	-
Cassia Clark	6	15.5	4	-	-	-	-	2	1
Clearwater	- 7	90.9	6	-	1	-	-	-	-
Custer	4	133.3	4	-		_	-	-	1
Elmore	21	37.5	16	4	-	-	-	1	3
Franklin	3	15.0	3	_	_	_	-	_	_
Fremont	2	8.9	1	-	-	-	-	1	1
Gem	8	38.5	7	-	-	1	-	-	-
Gooding	7	27.0	7	-	-	-	-	-	2
Idaho	12	86.3	10	-	-	-	-	2	1
Jefferson	2	5.3	2	-	-	-	-	-	-
Jerome	9	27.2	9	-	-	-	-	-	1
Kootenai Latah	295 100	194.5 251.9	261 85	3	7 2	4 4	2	23 4	6 5
Latan Lemhi	100	128.2	8	-	-	-	-	2	- 5
Lewis	6	139.5						_	_
Lincoln	1	139.5	6 1	-	-	-	-	-	-
Madison	! -	-	<u>'</u>	-	-	-	-	-	_
Minidoka	10	29.2	9	-	-	-	_	1	2
Nez Perce	62	139.0	47	-	6	1	2	6	2
Oneida	1	17.2	1	-	-	-	-	-	-
Owyhee	4	22.9	4	-	-	-	-	-	2
Payette	12	37.0	10	-	-	1	-	1	-
Power	1	7.5	1	-	-	-	-	-	-
Shoshone	22	170.5	20	-	1	-	-	1	-
Teton	2	14.1	2	-	-	-	-	-	-
Twin Falls	40	37.8	39	1	-	-	-	-	5
Valley	10	122.0	9	-	-	-	-	1	-
Washington	4	33.6	3	-	-	-	-	1	1

^{1.} Number of induced abortions per 1,000 live births.

^{2.} Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals.

In 2003, there were 185 records with Hispanic origin not stated; therefore, counts for Hispanics may be underreported.

INDUCED ABORTIONS TO IDAHO RESIDENTS Age of Patient 2003

		AGE OF PATIENT									
				15-19							
RESIDENCE	TOTAL	<15	Total	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
IDAHO	1,620*	12	336	105	231	553	303	221	133	58	3
District 1 District 2 District 3 District 4 District 5 District 6 District 7	395 187 191 603 124 62* 58	4 2 2 1 1 1	81 41 36 133 22 13	34 10 14 33 8 3 3	47 31 22 100 14 10 7	125 80 72 200 35 22 19	87 24 35 118 19 12 8	46 24 24 85 24 7 11	39 12 14 48 13 2 5	11 4 7 18 10 4 4	2 - 1 - - -
Ada Adams Bannock Bear Lake Benewah Bingham Blaine Boise Bonner Bonneville	571 3 40* 2 11 10 51 1 57 38	1 - 1 - 1 - - - 1	128 - 6 - - 4 4 - 12 8	32 - 1 - 1 2 - 7 2	96 - 5 - 3 2 - 5 6	190 2 15 1 5 4 8 - 17 13	111 -7 1 -1 10 -10 4	82 1 6 - 3 - 14 - 8 9	43 - 2 - 1 - 7 - 9	16 - 2 - 1 1 8 1 -	- - - - - - 1
Boundary Butte Camas Canyon Caribou Cassia Clark Clearwater Custer Elmore	10 2 - 160 3 6 - 7 4 21	- - 1 - - - 1	1 - 28 1 - - 2 1 5	- - 11 - - - 1	1 - - 17 1 - - 2 - 4	3 1 - 58 1 3 - - 2 6	4 - 34 1 1 - 1	2 - 20 - - 1 - 3	12 - 2 - 1	1 - 6 - - 1 1	- - 1 - - -
Franklin Fremont Gem Gooding Idaho Jefferson Jerome Kootenai Latah Lemhi	3 2 8 7 12 2 9 295 100	- - 1 - - - - 3	1 1 2 2 - 1 64 25 1	- - - - - - 24 5	1 1 2 2 2 - 1 40 20 1	3 3 4 1 4 92 53 3	1 2 1 - 2 - 1 68 4 2	1 1 1 1 1 2 32 12	1 1 2 - - 26 5	- - 1 - 1 9 1	1
Lewis Lincoln Madison Minidoka Nez Perce Oneida Owyhee Payette Power Shoshone	6 1 - 10 62 1 4 12 1 22	- - 1 1 - - -	1 2 12 1 1 4 -	1 2 5 1 1 2 - 3	- - 7 - - 2	3 - 2 20 - 3 4 - 8	2 - 3 15 - - 1 5	10 - 2 - 1	1 2 3 - 1 1 - 3	1 - 1	-
Teton Twin Falls Valley Washington	2 40 10 4	-	12 - 2	3 - -	9 - 2	15 4 2	- 4 5 -	1 7 - -	1 1 1	- 1 - -	- - -

^{*} Total includes one with age not stated in Bannock County (District 6).

INDUCED ABORTIONS OCCURRING IN IDAHO Termination Procedure by Length of Gestation 2003

			WEEKS OF GESTATION ²						
TERMINATION PROCEDURE ¹	TOTAL IN IDAHO	<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	911	540	236	103	13	12	3	1	3
Suction curettage	895	537	236	101	13	5	-	1	2
Sharp curettage	-	-	-	-	-	-	-	-	-
Dilation and evacuation (D&E)	3	-	-	-	-	2	1	-	-
Intra-uterine saline/ prostanglandin instillation	1	-	-	-	-	-	1	-	-
Hysterotomy/hysterectomy	-	-	-	-	-	-	-	-	-
Medical (non-surgical)	10	3	-	2	-	4	1	-	-
Other	1	-	-	-	-	1	-	-	-
Not stated	1	-	-	-	-	-	-	-	1

^{1.} Termination procedures listed on induced abortion report were revised in 1999.

INDUCED ABORTIONS OCCURRING IN IDAHO Termination Procedure by Reported Complications 2003

		REPORTED COMPLICATIONS ²						
TERMINATION PROCEDURE ¹	TOTAL IN IDAHO	No Complications	Hemorrhage	Infection	Uterine Perforation	Cervical Laceration	Retained Products	Other
TOTAL IN IDAHO	911	908	3	-	-	-	-	1
Suction curettage	895	893	2	-	-	-	-	-
Sharp curettage	-	-	-	-	-	-	-	-
Dilation and evacuation (D&E)	3	3	-	-	-	-	-	-
Intra-uterine saline / prostanglandin instillation	1	1	-	-	-	-	-	-
Hysterotomy/hysterectomy	-	-	-	-	-	-	-	-
Medical (non-surgical)	10	9	1	-	-	-	-	1
Other	1	1	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-

^{1.} Termination procedures listed on induced abortion report were revised in 1999.

^{2.} Gestation categories were modified in 2000.

^{2.} One or more complications may be reported per termination procedure; therefore, the sum of reported complications plus no complications may sum to more than total number of procedures.

INDUCED ABORTIONS OCCURRING IN IDAHO Age of Patient by Marital Status 2003

		MARITAL STATUS				
AGE OF PATIENT	TOTAL IN IDAHO	Married	Not Married	Not Stated		
TOTAL	911	238	671	2		
<15	3	1	2	-		
15-19	178	8	170	-		
15-17	47	-	47	-		
18-19	131	8	123	-		
20-24	304	56	248	-		
25-29	171	53	116	2		
30-34	137	59	78	-		
35-39	74	36	38	-		
40-44	43	24	19	-		
45+	1	1	-	-		
Not stated						

INDUCED ABORTIONS OCCURRING IN IDAHO Previous Induced Abortions and Number of Living Children 2003

		INDUCED TIONS	NUMBER OF LIVING CHILDREN			
	Number Percent		Number	Percent		
TOTAL	911	100.0%	911	100.0%		
None	691	76.4	429	47.4		
1	159	17.6	207	22.8		
2	38	4.2	181	20.0		
3+	16	1.8	89	9.8		
Not stated	7	NA	5	NA		

Percents based on records with stated number of previous induced abortions or number of living children.

Return to Main Table of Contents for 2003 Annual Report